## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	12	@ad<="20031230" sdma (set\$2 with exchang \$4) 370/206-210,212,329,441,442,319-321. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/13 12:04
L6	7	@ad<="20031230" sdma (set\$2 with exchang \$4) 370/322,334,335,337,349.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/13 12:05
L7	9	@ad<="20031230" sdma (set\$2 with exchang \$4) 455/454,456.2,560,525,562.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/13 12:05
L8	0	@ad<="20031230" sdma (transmission near6 criter\$4) 375/347,343,130,141,146-149.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/13 12:06
L9	0	@ad<="20031230" sdma (set\$2 same exchang \$4) orthogonal 375/347,343,130,141,146-149	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/13 12:07
L10	0	@ad<="20031230" sdma (set\$2 with chang \$4) criter\$5 with select\$5 375/347,343,130,141,146-149	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/13 12:07
L11	2	@ad<="20031230" sdma (set\$2 with chang \$4) criter\$5 with select\$5 375/347,343,130,141,146-149.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/13 12:07
S1	3	@ad<="20031230" orthogonal near set\$2 access near point\$2 sdma	US-PGPUB; USPAT	AND	OFF	2007/06/04 16:07
S2	2	@ad< = "20031230" orthogonal near set\$2 access near point\$2 sdma 370/203,204,208,209.ccls.	US-PGPUB; USPAT	AND	OFF	2007/06/04 16:07
S3	2	@ad<="20031230" orthogonal near3 set\$2 access near point\$2 sdma 370/203,204,208,209.ccls.	US-PGPUB; USPAT	AND	OFF	2007/06/04 16:07
S4	3	@ad<="20031230" orthogonal near3 set\$2 access near3 point\$2 sdma 370/203,204,208,209.ccls.	US-PGPUB; USPAT	AND	OFF	2007/06/04 16:08

S5	14	@ad<="20031230" orthogonal near3 set\$2 access near3 point\$2 sdma	US-PGPUB; USPAT	AND	OFF	2007/06/04 16:08
S6	11	@ad<="20031230" orthogonal near set\$2 access near3 point\$2 sdma	US-PGPUB; USPAT	AND	OFF	2007/06/04 16:09
S7	3	@ad<="20031230" (orthogonal near set\$2) same (users or devices) sdma	US-PGPUB; USPAT	AND	OFF	2007/09/24 14:14
S8	5	@ad<="20031230" (orthogonal near3 set\$2) same (users or devices) sdma	US-PGPUB; USPAT	AND	OFF	2007/06/04 16:14
S9	5	@ad<="20031230" (orthogonal with set\$2) same (users or devices) sdma	US-PGPUB; USPAT	AND	OFF	2007/06/04 16:16
S10	75	@ad<="20031230" (orthogonal) same (users or devices) sdma	US-PGPUB; USPAT	AND	OFF	2007/06/04 16:16
S11	57	@ad<="20031230" (orthogonal) same (users or devices) sdma sets	US-PGPUB; USPAT	AND	OFF	2008/01/30 08:31
S12	3	@ad<="20031230" (orthogonal) same (users or devices) sdma sets predetermined near4 criterion	US-PGPUB; USPAT	AND	OFF	2007/06/04 16:17
S13	3	@ad<="20031230" (orthogonal) same (users or devices) sdma sets predetermined near4 criter\$5	US-PGPUB; USPAT	AND	OFF	2007/06/04 16:18
S14	3	@ad<="20031230" (orthogonal) same (users or devices) sdma sets predetermined with criter \$5	US-PGPUB; USPAT	AND	OFF	2007/06/04 16:18
S15	8	@ad<="20031230" (orthogonal) same (users or devices) sdma sets determined with criter\$5	US-PGPUB; USPAT	AND	OFF	2007/06/04 16:18
S16	4	@ad<="20031230" (orthogonal near3 set\$2) same (users or devices) sdma antenna near3 beam\$2	US-PGPUB; USPAT	AND	OFF	2007/09/24 16:20
S17	37	@ad<="20031230" (orthogonal near3 set\$2) sdma antenna near3 beam\$2	US-PGPUB; USPAT	AND	OFF	2007/09/24 14:20
S18	1	@ad<="20031230" (orthogonal near3 set\$2) ack same time sdma antenna near3 beam\$2	US-PGPUB; USPAT	AND	OFF	2007/09/24 16:22
S19	11	@ad<="20031230" ack same time sdma antenna near3 beam\$2	US-PGPUB; USPAT	AND	OFF	2007/09/24 17:07
S20	0	@prad<="20031230" (orthogonal near3 set\$2) ack same time sdma antenna near3 beam\$2	US-PGPUB; USPAT	AND	OFF	2007/09/24 16:22
S21	0	@rlad<="20031230" (orthogonal near3 set\$2) ack same time sdma antenna near3 beam\$2	US-PGPUB; USPAT	AND	OFF	2007/09/24 16:22
S22	3	@ad<="20031230" stephens-adrian.in.	US-PGPUB; USPAT	AND	OFF	2007/09/24 17:07
S23	0	@ad<="20031230" li-ainghua.in.	US-PGPUB; USPAT	AND	OFF	2007/09/24 17:08
S24	26	@ad<="20031230" ho-minnie.in.	US-PGPUB; USPAT	AND	OFF	2007/09/24 17:08
S25	34	@ad<="20031230" (orthogonal) same (users or devices) sdma sets criter\$3	US-PGPUB; USPAT	AND	OFF	2008/01/30 08:31
S26	1	@ad<="20031230" (orthogonal) same (users or devices) sdma sets with criter\$3	US-PGPUB; USPAT	AND	OFF	2008/01/30 08:32
S27	11	@ad<="20031230" (orthogonal) same (users or devices) sdma sets same criter\$3	US-PGPUB; USPAT	AND	OFF	2008/01/30 08:32
S28	17	@ad<="20031230" (orthogonal) same (users or devices) sdma set same criter\$3	US-PGPUB; USPAT	AND	OFF	2008/01/30 08:32

,,,,,,,,,,,,,			·;	a; ,	(	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
S29	85	@ad<="20031230" (orthogonal) same (users or devices) sdma	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/09 14:58
S30	24	@ad<="20031230" (orthogonal) same (users or devices) sdma access near4 point	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/09 14:58
<b>S</b> 31	5	@ad<="20031230" (orthogonal) same (users or devices) sdma access near4 point exchang \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/09 14:59
S32	24	@ad<="20031230" (orthogonal) same (users or devices) sdma access near4 point	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/09 15:01
S33	35	@ad<="20031230" (orthogonal) same (set\$2) sdma access near4 point	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/09 15:04
S34	33	@ad<="20031230" orthogonal with set\$2 sdma access near4 point	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/09 15:05
<b>S</b> 35	48	@ad<="20031230" orthogonal with set\$2 sdma exchange select\$5 with criter\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:14
S36	1	@ad<="20031230" orthogonal with sdma exchange select\$5 with criter\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:15
S37	0	@prad<="20031230" orthogonal with sdma exchange select\$5 with criter\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:15
S38	0	@rlad<="20031230" orthogonal with sdma exchange select\$5 with criter\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:15

,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		,	· · · · · · · · · · · · · · · · · · ·	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		·
<b>S</b> 39	1	@ad<= "20031230" (orthogonal near4 set) same sdma select\$5 with criter\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:16
S40	1	@ad<="20031230" (orthogonal near4 set) same sdma select\$5 same criter\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:16
S41	61	@ad<="20031230" (orthogonal near4 set) sdma select\$5 same criter\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:16
S42	60	@ad<="20031230" (orthogonal near4 set) sdma select\$5 with criter\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:16
S43	0	@ad<="20031230" sdma with (transmission near6 criter\$4) exchang\$2 with set\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:19
S44	0	@ad<="20031230" sdma same(transmission near6 criter\$4) exchang\$2 with set\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:20
S45	0	@ad<="20031230" sdma same (transmission near6 criter\$4) exchang\$2 with set\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:20
S46	0	@ad<="20031230" sdma same (transmission near6 criter\$4) exchang\$2 same set\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:20
S47	0	@prad<="20031230" sdma same (transmission near6 criter\$4) exchang\$2 same set\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:20
S48	0	@rlad<="20031230" sdma same (transmission near6 criter\$4) exchang\$2 same set\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:20

S49	0	@rlad<="20031230" sdma same (transmission near6 criter\$4) exchang\$2 set\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:20
S50	0	@rlad<="20031230" sdma same (transmission near6 criter\$4) exchang\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:20
S51	0	@rlad<="20031230" sdma same (transmission near6 criter\$4) chang\$4 with set\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:21
S52	0	@ad<="20031230" sdma same (transmission near6 criter\$4) chang\$4 with set\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:21
S53	0	@ad<="20031230" sdma same (transmission near6 criter\$4) chang\$4 same set\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:21
S54	0	@ad<="20031230" sdma same (transmission near6 criter\$4) chang\$4 set\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:21
S55	1	@ad<="20031230" sdma same (transmission near6 criter\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:21
S56	16	@ad<="20031230" sdma (transmission near6 criter\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:45
<b>S</b> 57	1	@ad<="20031230" (sdma with set\$2) same exchang\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:48
S58	81	@ad< = "20031230" sdma set\$2 same exchang \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:49

			,		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
S59	2	@ad<="20031230" sdma (set\$2 same exchang \$4) with orthogonal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:49
S60	36	@ad<="20031230" sdma (set\$2 same exchang \$4) orthogonal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/10 15:49
S61	10	@ad<="20031230" sdma (set\$2 same exchang \$4) criter\$5 same select\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/11 15:44
S62	1	@ad<="20031230" sdma same (set\$2 with exchang\$4) criter\$5 same select\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/11 15:47
S63	3	@ad<="20031230" sdma (set\$2 with exchang \$4) criter\$5 same select\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/11 15:47
S64	75	@ad<="20031230" sdma (set\$2 with chang \$4) criter\$5 same select\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/11 15:48
S65	0	@ad<="20031230" sdma same (set\$2 with chang\$4) criter\$5 same select\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/11 15:48
S66	67	@ad<="20031230" sdma (set\$2 with chang \$4) criter\$5 with select\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/11 15:48
S67	2	@ad<="20031230" sdma (set\$2 with exchang \$4) criter\$5 with select\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/11 15:55
S68	11	@ad<="20031230" sdma (set\$2 with exchang \$4) criter\$5 select\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/11 15:55

S69	11	@ad<="20031230" sdma (set\$2 with exchang \$4) criter\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/11 15:57
S70	45	@ad<="20031230" sdma (set\$2 with exchang \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/02/11 15:58

2/13/2009 12:08:34 PM

C:\ Documents and Settings\ rjain1\ My Documents\ EAST\ Workspaces\ 10749175.wsp